

ABS Kantenaktivator

8315

Pre-treatment for the coating of ABS edging, for use in trade and industry

PRODUCT DESCRIPTION

Product numbers

8315000210

General

Rapid drying special solution to improve adhesion of furniture paints and varnishes on ABS edging.

The product can be coated with both water- and solvent-based ADLER furniture coatings.

Application area



ABS-edges to be coated with ADLER furniture coatings.

Application in combination with a suitable topcoat system.

Please refer to the corresponding technical data sheets of the products.

PROCESSING

Processing instructions



- Please shake the product before use.
- Moisten clean staining paper or cellulose fleece with ABS Kantenaktivator (8315) and wipe across the plastic edging applying moderate pressure.
- Due to the large number of plastic materials, an adhesion test is recommended.
- As there are various qualities of ABS edging on the market, we recommend doing a compatibility test on the original edging and checking the adhesion of the paint/varnish you are intending to use (surface area and radius) after drying overnight at room temperature.
- Any change in the processing sequence, environmental conditions, non-observance of instructions or the use of products not listed may have an unfavourable effect on the result.

Drying times

(at 23 °C and 50 % rel. humidity)



Recoat after

approx. 10 - 30 minute

The figures given above are reference values. Drying depends on the substrate, layer thickness, temperature, air exchange, relative humidity, stacking pressure and stacking conditions.

ORDERING INFORMATION

Size of trading unit

11, 25 l

FURTHER DETAILS

Durability / storage



Min. 1 year(s) in the original sealed containers.

Make sure the product is protected against moisture, direct sunlight, frost and high temperatures (above 30 °C).

Close containers immediately after use.

Close opened containers well and use up the content as soon as possible.

Safety information



The product is only suitable for the industrial and professional use.

It is recommended to use safety gloves and safety glasses while processing.

Further information on the subject of safety during transport, storage and handling as well as disposal can be found in the relevant safety data sheet. The current version can be accessed on the Internet at www.adler-lacke.com.